



Standards Manual

[For producers, auditors and stakeholders]



APIQ Management contact details

Level 2, 2 Brisbane Avenue, Barton ACT 2600
PO Box 4746, Kingston ACT 2604

Toll free 1800 789 099
Facsimile 02 6285 2288
Email apiq@australianpork.com.au
Website www.apiq.com.au

APIQ[✓]® is operated by Australian Pork Limited on behalf of the Australian Pork Industry.

Australian Pork Limited

Disclaimer

The opinions, advice and information contained in this publication have not been provided at the request of any person but are offered by Australian Pork Limited (APL) as general comments to help pig producers meet the Standards of the Australian Pork Industry Quality Assurance Program (APIQ[✓]®). No party, including pig producers, should or may assume or rely on the applicability of any opinion, advice or information in this document to their own circumstances, and should obtain their own specific professional advice. While APL has no reason to believe that the information contained in this publication is inaccurate, APL is unable to guarantee the accuracy of the information and, subject to any terms implied by law which cannot be excluded, accepts no responsibility for loss suffered as a result of any party's reliance on the accuracy or currency of the content of this publication. The information contained in this publication should not be relied upon for any purpose, including as a substitute for professional advice. Nothing within the publication constitutes an express or implied warranty, or representation, with respect to the accuracy or currency of the publication, any future matter or as to the value of or demand for any good.

TABLE OF CONTENTS

INTRODUCTION	5
APIQ[✓] STANDARDS – MODULE 1: MANAGEMENT STANDARDS.....	6
Management Standards and Performance Indicators.....	8
1.1 Management Requirements.....	8
1.2 Production System Definitions.....	9
1.3 APIQ [✓] Free Range (FR) Standards.....	11
1.4 APIQ [✓] Outdoor Bred, Raised Indoors on Straw (OB) Standards.....	12
APIQ[✓] STANDARDS – MODULE 2: FOOD SAFETY STANDARDS	14
Food Safety Standards and Performance Indicators.....	15
2.1 Food Safety Risk Analysis and HACCP-based Food Safety and Biosecurity Plan	15
2.2 Pig Treatments.....	16
2.3 Feed Practices and Medicated Feed Management.....	16
2.4 Medication and Chemical Management.....	17
APIQ[✓] STANDARDS – MODULE 3: ANIMAL WELFARE STANDARDS	18
Animal Welfare Standards and Performance Indicators.....	19
3.1 Planning and Contingency Arrangements in Place	19
3.2 Staff Competency Maintained	19
3.3 Facilities and Environment Meet the Model Code of Practice for the Welfare of Animals — Pigs Requirements	20
3.4 Adequate Feed and Water is Available	20
3.5 Routine Health and Husbandry Measures are in Place	21
3.6 On-farm Euthanasia of Pigs Meets the Model Code of Practice for the Welfare of Animals — Pigs Requirements	21
APIQ[✓] STANDARDS – MODULE 4: BIOSECURITY STANDARDS.....	22
Biosecurity Standards and Performance Indicators.....	23
4.1 On-farm Systems are in Place to Minimise the Risk of Contamination or Disease Spread.....	23
4.2 The Risk of Disease Introduction from New Stock and Semen is Controlled.....	23
4.3 Staff are Trained in Emergency Disease Awareness and Follow Biosecurity Procedures	24
4.4 Pest Control Procedures are in Place.....	24
APIQ[✓] STANDARDS – MODULE 5: TRACEABILITY STANDARDS.....	25
Traceability Standards and Performance Indicators.....	26
5.1 Pig Movements and Transport Documentation.....	26
APIQ[✓] STANDARDS – MODULE 6: ENVIRONMENTAL STANDARDS.....	27
Environmental Standards and Performance Indicators.....	28
6.1 Environmental Regulatory Compliance	28
6.2 Piggery Upkeep.....	28
6.3 Management of Environmental Impact for Pigs Outdoors.....	29
6.3.1 Soil Monitoring Standard	29
6.3.2 Nutrient Management Standard.....	31
6.3.3 Promoting Even Nutrient Distribution Standard	32
6.3.4 Land and Water Protection Standard.....	33

APIQ[✓]® STANDARDS – MODULE 7: TRANSPORT STANDARDS.....	34
Transport Standards and Performance Indicators.....	35
7.1 Pre-transport Selection and Preparation of Pigs	35
7.2 Drivers, Vehicles & Facilities	35
7.3 Compliance with Pig Transport Code.....	36
APIQ[✓]® STANDARDS – OPTION A: GESTATION STALL FREE (GSF).....	37
Gestation Stall Free (GSF).....	38
GSF 1.1 Gestation Stall Free	38
APIQ[✓]® STANDARDS – OPTION B: CUSTOMER SPECIFICATIONS FOR SUPPLY TO COLES SUPERMARKETS AUSTRALIA PTY LTD (COLES) (CSC)	39
Customer Specifications for Coles Supermarkets Australia Pty Ltd (CSC).....	40
CSC 1.1 Stocking Density.....	40
CSC 1.2 Husbandry Practices	41
CSC 1.3 Antibiotics, Growth Promotants and Hormone Use	41
CSC 1.4 Bedding and Enrichment.....	42
Notes:	44

INTRODUCTION

The Australian Pork Industry Quality Assurance Program (APIQ[✓][®]) is the industry sponsored on-farm Quality Assurance (QA) program. QA Certification allows producers to demonstrate that they meet legal requirements, industry Standards and customer specifications. It requires producers to document procedures on-farm outlining how key tasks are carried out, monitoring the tasks, recording the results of those actions and checking that the results comply with the Standards.

APIQ[✓][®] provides the framework and tools pig producers can use to demonstrate that they meet the Standards. The APIQ[✓][®] Standards are divided into seven (7) Modules:

1. Management
2. Food Safety
3. Animal Welfare
4. Biosecurity
5. Traceability
6. Environment
7. Transport

Other modules may be added to APIQ[✓][®] where APIQ[✓][®] Standards and Performance Indicators have been agreed and approved by the Australian Pork Limited (APL) Board, in order to take account of evolving industry requirements.

APIQ[✓][®] also provides options to undertake Verification of particular additional requirements for specific needs. This version of the *Standards Manual* includes these Verification Options:

- A. Gestation Stall Free Verification; and
- B. Customer Specifications Verification for Coles Supermarkets Australia Pty Ltd.

APIQ[✓][®] has three Certification Types available. They are:

- » Indoor (IN) specified as APIQ[✓][®]
- » Free Range (FR) Specified as APIQ[✓][®]FR
- » Outdoor Bred, Raised Indoors on Straw (OB) Specified as APIQ[✓][®] OB¹

APIQ[✓][®] Certification incorporates the legal requirements set out in the *Model Code of Practice for the Welfare of Animals – Pigs (3rd Edition, 2007)*. Certification enables producers to demonstrate that they are meeting relevant State and Federal legislation and following good agricultural practice.

APIQ[✓][®] also supports the requirements of the industry-wide traceability system, the PigPass National Vendor Declaration (PigPass NVD) by providing the supporting QA framework.

This manual contains the APIQ[✓][®] Standards, which are the cornerstone of the program. The APIQ[✓][®] Standards are outcome-focused and supported by Performance Indicators. Supplementary information is contained in the *APIQ[✓][®] Reference Manual*, the *APIQ[✓][®] Compliance Guide for Producers and Auditors*.

Australian Pork Limited manages the program on the industry's behalf through APIQ Management (APIQM). A wide range of stakeholders have provided technical and policy input to the program, including producers, scientists, QA and audit experts, retailers and customer organisations, government, and supply chain members. The program was also trialled on-farm in different herd sizes and types of production systems.

1 On the 31st of August 2015, APL and the ACCC agreed to revise 'Outdoor Bred' to include the qualifier 'Raised Indoors on Straw' on the condition that the qualifier 'must be equally prominent and located with the Outdoor Bred term' and on the understanding that straw is interchangeable with other forms of bedding such as, but not limited to, sawdust and or rice hulls.

MANAGEMENT STANDARDS SUMMARY TABLE

No.	Standard
1.1	<p data-bbox="874 658 1343 748">The management system ensures that the enterprise demonstrates commitment to the QA principles provided in APIQ[✓]®.</p> <p data-bbox="874 779 1305 963">APIQM is notified within 10 business days when there is a change of piggery ownership and/or a change in the nominated person responsible for the on-farm management of the APIQ[✓]® program.</p> <p data-bbox="874 994 1350 1115">Staff are trained to ensure that they are competent in their specific tasks, and are familiar with the requirements of their role and the APIQ[✓]® system.</p> <p data-bbox="874 1146 1324 1232">All APIQ[✓]® certified piggeries must have a client relationship with a licensed veterinary practitioner.</p>
1.2	<p data-bbox="874 1254 1350 1344">In order to be APIQ[✓]® Certified, piggeries must meet one of three production system definitions.</p> <p data-bbox="874 1375 1350 1559">Indoor piggery (IN) is the default definition and applies to all piggeries that keep pigs in indoor housing and do not meet the specific requirements to be defined as Free Range (FR) or Outdoor Bred, Raised Indoors on Straw (OB).</p> <p data-bbox="874 1590 1327 1774">FR piggeries must keep all stages of production outdoors, with appropriate access to shelter. They must comply with the APL Definition of 'Free Range' and the APIQ[✓]® Standards and Performance Indicators for FR.</p> <p data-bbox="874 1805 1353 1926">OB piggeries must comply with the APL Definition of 'Outdoor Bred, Raised Indoors on Straw' and the APIQ[✓]® Standards and Performance Indicators for OB production.</p> <p data-bbox="874 1957 1353 2072">Any communication or marketing material produced that describes or depicts the production system on farm must accurately reflect the system used.</p>

1.3	APIQ✓® Free Range (FR) Standards	<p>The piggery provides suitable paddocks with feed, water and shelter facilities to meet all pigs' social and physiological requirements when kept in an outdoor environment.</p> <p>Impacts on the environment and stocking rates are managed according to APIQ✓® Environmental Standards</p>
1.4	APIQ✓® Outdoor Bred, Raised Indoors on Straw (OB) Standards	<p>The piggery provides suitable paddocks with feed, water and shelter facilities to meet the social and physiological requirements of breeding pigs kept in an outdoor environment.</p> <p>At weaning, piglets are transferred to and grown/finished to sale or slaughter in housing furnished with bedding, feed and water to meet their physiological and social needs.</p> <p>Housing for weaners meets the <i>Model Code of Practice for the Welfare of Animals – Pigs</i>, which requires: protection from the elements and predators, space allowances, bedding, feed and water, airflow, health and wellbeing.</p> <p>APIQ✓® Environmental Standards for Outdoor Pigs are met.</p> <p>Cull sows from APIQ✓® OB Certified farms may be sold as Free Range if they have been kept under conditions that meet the sow management criteria specified for APIQ✓® OB Certified farms for at least the last reproductive cycle before being culled.</p>

Management Standards and Performance Indicators

1.1 Management Requirements

Standard	<p>The management system ensures that the enterprise demonstrates commitment to the QA principles provided in APIQ[✓]®.</p> <p>APIQM is notified within 10 business days when there is a change of piggery ownership and/or a change in the nominated person responsible for the on-farm management of the APIQ[✓]® program.</p> <p>Staff are trained to ensure that they are competent in their specific tasks, and are familiar with the requirements of their role and the APIQ[✓]® system.</p> <p>All APIQ[✓]® certified piggeries must have a client relationship with a licensed veterinary practitioner.</p>
-----------------	---

Performance Indicators:

A. The enterprise has a system in place to demonstrate compliance with APIQ[✓]® Standards, including as a minimum:

- A *Piggery Management Manual* including a quality policy, enterprise description, organisational structure chart, and a system for document control which identifies all quality program resources.
- Standard Operating Procedures (SOPs) or Work Instructions (WIs), which can be written and/or visual² resources.

B. There is a nominated person from the enterprise who is responsible for ensuring that it meets management practices and documentation required for APIQ[✓]® Certification.

- APIQM is notified of proposed changes to ownership before the change of ownership takes place.
- If the nominated person from the enterprise who is responsible for ensuring that it meets management practices and documentation required for APIQ[✓]® Certification changes, then:
 - APIQM is advised within 10 business days of the change taking place.
 - The continuation of the APIQ[✓]® Certification must be approved in writing by APIQM.

C. Within the organisation structure the following are identified:

- Key person(s) and their roles and responsibilities.
- Supervisory positions or positions of authority.
- Tasks for each person that are carried out as part of the APIQ[✓]® system.

D. A system is in place to ensure that records and documents, including Standard Operating Procedures (SOPs) or Work Instructions (WIs), are maintained and current.

E. The enterprise must conduct and record an annual Internal Audit, approximately six (6) months but no later than eight (8) months, after their APIQ[✓]® Compliance Audit is conducted. The audit includes:

- Review of the record keeping/SOP documentation to ensure they are maintained and current.
- Any non-conformances are identified and recorded.
- The appropriate corrective and preventative actions are taken as required and are recorded.
- Outstanding non-conformances are scheduled to be addressed in a reasonable timeframe.

² SOPs and/or WIs may include manuals, documents, videos, charts or any items used on-farm to explain and outline processes and procedures.

- F. Staff induction and training is conducted and recorded and ensures that:
- New staff are inducted³ on commencement of employment and induction is completed within one (1) month.
 - New and existing staff are trained and competent in their required tasks and ongoing training needs are identified.
 - All staff are familiar with SOPs and WIs for their specific tasks.

- G. The piggery's nominated veterinary practitioner or practice will:
- Have personal knowledge of the farm and have visited the site.
 - Be responsible for prescribing any prescription animal remedies used.
 - Be on call to investigate and advise on any animal welfare, biosecurity or disease management concerns.

1.2 Production System Definitions

Standard	<p>In order to be APIQ✓[®] Certified, piggeries must meet one of three production system definitions.</p> <p>Indoor piggery (IN) is the default definition and applies to all piggeries that primarily keep pigs in indoor housing and do not meet the specific requirements to be defined as Free Range (FR) or Outdoor Bred, Raised Indoors on Straw (OB).</p> <p>FR piggeries must keep all stages of production outdoors, with appropriate access to shelter. They must comply with the APL Definition of 'Free Range' and the APIQ✓[®] Standards and Performance Indicators for FR.</p> <p>OB piggeries must comply with the APL Definition of 'Outdoor Bred, Raised Indoors on Straw' and the APIQ✓[®] Standards and Performance Indicators for OB production.</p> <p>Any communication or marketing material produced that describes or depicts the production system on farm must accurately reflect the system used.</p>
----------	--

Performance Indicators:

- A. Indoor Piggeries:
- Have all stages of production (weaners, growers and breeding stock) fully or partially housed.
 - Meet the APIQ✓[®] Environmental Standards for Outdoor Pigs if any pigs are kept outdoors.
 - May meet the definition of a feedlot piggery under the APL *National Environmental Guidelines for Piggeries*.
 - Do not meet the APL Definition of 'Free Range' (FR) and the APIQ✓[®] Standards and Performance Indicators for FR or the APL Definition of 'Outdoor Bred, Raised Indoors on Straw' and the APIQ✓[®] Standards and Performance Indicators for OB production.
 - May be certified as APIQ✓[®] Certified and eligible to use the APIQ✓[®] logo in visual communications according to APIQ✓[®] Certification Policy guidelines.

³ Induction: The formal introduction of a new employee to a piggery's operations, policies, procedures and systems and the commencement of training to ensure that an individual is appropriately trained to perform the tasks for which they are employed.

B. Free Range Piggeries:

- Have all stages of production (weaners, growers and breeding stock) kept outdoors, with access to appropriate shelter as defined in the APIQ[✓]® Free Range Standard.
- Meet the APL Definition of Free Range⁴.
- Do not meet the definition of a feedlot piggery under the APL *National Environmental Guidelines for Piggeries* (2013).
- Meet the requirements of the APIQ[✓]® FR Standard (1.3 below).
- May be certified as APIQ[✓]® FR Certified and are eligible to use the APL PorkMark and APIQ[✓]® Free Range logo in visual communications according to APIQ[✓]® Certification Policy guidelines.

C. Outdoor Bred, Raised Indoors on Straw Piggeries:

- Have breeding stock kept outdoors, with access to appropriate shelter; and weaners/growers in housing furnished with bedding, feed and water to meet their physiological and social needs.
- Do not have weaners or growers housed on concrete or slatted floors (this type of housing is classified under APIQ[✓]® as Indoor housing).
- Do not meet the definition of a feedlot piggery under the APL *National Environmental Guidelines for Piggeries* (2013).
- Meet the APL Definition of Outdoor Bred, Raised Indoors on Straw⁵.
- Meet the requirements of the APIQ[✓]® OB Standard (1.4 below).
- May be certified as APIQ[✓]® OB Certified and eligible to use the APL PorkMark and APIQ[✓]® Outdoor Bred, Raised Indoors on Straw logo in visual communications according to APIQ[✓]® Certification Policy guidelines.

D. Communication and/or marketing material produced that describes or depicts the production system on farm:

- Is factually accurate in relation to the production system used; AND
- Is not misleading to the consumer.⁶

4 The APL Free Range Definition is on the APL website www.australianpork.com.au

5 The APL Outdoor Bred, Raised Indoors on Straw Definition is on the APL website www.australianpork.com.au

6 In all situations where Outdoor Bred certification is approved, the qualifier 'Raised Indoors on Straw' must be used in an equally prominent manner.

1.3 APIQ[✓]® Free Range (FR) Standards

Standard	<p>The piggery provides suitable paddocks with feed, water and shelter facilities to meet all pigs' social and physiological requirements when kept in an outdoor environment.</p> <p>Impacts on the environment and stocking rates are managed according to APIQ[✓]® Environmental Standards</p>
-----------------	--

Performance Indicators:

- A. Weaners, growers, and the breeding stock⁷ from which they were bred have access to paddocks at all times:
 - A record must be kept for any pig(s) temporarily confined for vaccinations, mating, protection from predators, protection from elements, or under veterinary advice.

- B. Suitable paddocks with rooting and/or foraging areas are available to pigs at all times:
 - Wallows are provided where State regulations and the season permits; AND/OR
 - Shade (including but not limited to trees, tree lines, hedges, shade stands), sprinklers, or other mechanical means are provided to cool pigs when necessary.

- C. Sufficient shelter is available to provide protection from the elements to all pigs at all times:
 - Steps are taken to minimise the risks to pigs from predators.
 - All pigs are able to move freely in and out of shelter provided.
 - Bedding is provided in the shelters.

- D. Shelter for dry sows in groups, lactating sows with piglets and boars meets the space allowance guidelines in the *Model Code of Practice for the Welfare of Animals – Pigs*, Appendix 3, Table 8.

- E. APIQ[✓]® Environmental Standards for Outdoor Pigs are met.

⁷ Pigs purchased or selected as breeding stock for a FR production system may be sourced, bred, raised, and grown from indoor or outdoor pig production systems. Breeding stock includes gilts, sows, and boars.

1.4 APIQ[✓]® Outdoor Bred, Raised Indoors on Straw (OB) Standards

Standard	<p>In agreement with the Australian Competition and Consumer Commission (ACCC), as of 30 August 2015; APL has added to the descriptor 'Outdoor Bred' the qualifying statement 'Raised Indoors on Straw' to ensure consumers are not deceived or mislead in any way.</p> <p>Production systems where breeding pigs are managed free range and where weaners are transferred to and grown/ finished to sale or slaughter in housing furnished in bedding, may now be certified as 'Outdoor Bred, Raised Indoors on Straw'. In all instances the qualifier statement must be equally prominent and located with the 'Outdoor Bred' term.</p> <p>The piggery provides suitable paddocks with feed, water and shelter facilities to meet the social and physiological requirements of breeding pigs kept in an outdoor environment.</p> <p>At weaning, piglets are transferred to and grown/finished to sale or slaughter in housing furnished with bedding, feed, and water to meet their physiological and social needs.</p> <p>Housing for weaners meets the <i>Model Code of Practice for the Welfare of Animals – Pigs</i> requirements for: protection from the elements and predators, space allowances, bedding, feed and water, airflow, and health and wellbeing.</p> <p>APIQ[✓]® Environmental Standards for Outdoor Pigs are met.</p> <p>Cull sows from APIQ[✓]® OB Certified farms may be sold as Free Range if they have been kept under conditions that meet the sow management criteria specified for APIQ[✓]® OB Certified farms for at least the last reproductive cycle before being culled.</p>
----------	---

Performance Indicators:

- A. Sows⁸ and boars have free access to paddocks at all times and piglets have free access to paddocks at all times, until weaning; except where temporarily confined for protection from predators or the elements, and/or for vaccinations, mating, or under veterinary advice:
 - A record must be kept for any pigs temporarily confined⁹.
- B. Sufficient shelter is available to provide protection from the elements for all pigs at all times:
 - Steps are taken to minimise risks to pigs from predators.
 - All breeding sows and boars are able to move freely in and out of shelter provided.
 - Bedding is provided in shelters.
- C. Suitable paddocks with rooting and/or foraging areas are available to pigs at all times.
 - Wallows are provided where State regulations and the seasons permit; AND/OR
 - Shade (including but not limited to trees, tree lines, hedges, shade stands), sprinklers, or other mechanical means are provided to cool pigs when necessary.

⁸ Pigs purchased or selected as breeding stock for an OB production system may be sourced, bred, raised and grown from indoor or outdoor pig production systems.

⁹ Approved temporary confinement includes but is not limited to: keeping piglets in huts or shelters after birth for protection, holding weaners in pens for approved treatments, and holding finishers in pens prior to trucking. Refer to the current APIQ[✓]® Compliance Guide for Producers and Auditors.

D. Shelter for boars, dry sows in groups, and lactating sows with piglets meets the space allowance in the *Model Code of Practice for the Welfare of Animals – Pigs*, Appendix 3, Table 8.

E. APIQ✓® Environmental Standards for Outdoor Pigs are met.

F. Cull sows may be sold as FR when:

- The sow has completed at least one (1) full reproductive cycle¹⁰ living according to APIQ✓® FR Standards; AND
- An APIQ✓® Compliance Audit or a Vet Report¹¹ has been submitted to APIQM verifying that systems are in place to ensure that only cull sows are sold as FR.

G. At weaning, piglets move to group housing that is furnished with bedding for the duration of their growing/finishing life.

H. Acceptable housing includes permanent or portable structures or outdoor pens with shelter:

- With an impermeable base; AND/OR
- Where portable structures are used they are located and moved at least every three (3) months to minimise leaching and runoff.

Note: Housing cannot be on slatted floors.

I. Housing/shelter provided for weaners, growers and finishers meets the space allowance standards of the *Model Code of Practice for the Welfare of Animals – Pigs*, (Third Edition) Appendix 3, Table 5.

J. Weaners, growers and finishers may be confined temporarily for vaccinations, treatments, protection from predators, protection from elements, or under veterinary advice.

- A record must be kept where weaners, growers and finishers are confined temporarily.

Note:

Performance Indicator 1.4 F is mandatory for APIQ✓® OB Certified producers seeking to market cull sows as FR.

APIQ✓® OB Certified producers may apply and be approved to use the APL PorkMark and APIQ✓® Outdoor Bred, Raised Indoors on Straw Logo but cannot use the APL PorkMark Free Range Logo, even when they comply with Performance Indicator 1.4 F

APIQ✓® OB Certified producers not seeking to sell cull sows as FR are not required to comply with Performance Indicator 1.4 F.

Weaner/grower/finisher pigs must be born and raised in a FR system for their entire life in order to be marketed as Free Range.

10 *Pig Agskills, A Practical Guide to Farm Skills* (NSW Industry & Investment, 2010). Reproductive Cycle is the period from mating to the following mating. Gilts do not qualify as cull sows and cannot be sold as FR by an APIQ✓® OB Certified producer.

11 The producer must revise their SOPs/WIs, QA documentation and records to clearly show that only cull sows are sold as FR. Their system changes must be verified with APIQM through an APIQ✓® Compliance Audit or by providing APIQM with a Vet Report confirming that these systems are in place.

FOOD SAFETY STANDARDS – SUMMARY TABLE

No.	Standard	
2.1	Food Safety Risk Analysis and HACCP ¹² -based Food Safety and Biosecurity Plan	An on-farm Food Safety and Biosecurity Plan is completed and documented based on the industry on-farm HACCP analysis that manages chemical and physical hazards, pathogen risks, and environmental hazards that could impact food safety.
2.2	Pig Treatments	A system is in place to ensure that medications and chemicals given to pigs are administered in a safe and appropriate manner that minimises the risk of chemical residues or physical hazards entering the food supply chain.
2.3	Feed Practices and Medicated Feed Management	Systems are in place to ensure that pigs are not exposed to contaminated feedstuffs or bedding, to minimise the risk of chemical residues and biological contaminants and to comply with the prohibition of swill feeding.
2.4	Medication and Chemical Management	Piggery medications and chemicals are used, stored, and handled in accordance with the manufacturer's instructions and their use is recorded.

¹² Refer to 4.1.2 of the APIQ[✓]® Implementation Manual Version 4.0 7/2015

Food Safety Standards and Performance Indicators

2.1 Food Safety Risk Analysis and HACCP-based Food Safety and Biosecurity Plan

Standard	An on-farm Food Safety and Biosecurity Plan is completed and documented based on the industry on-farm HACCP analysis that manages chemical and physical hazards, pathogen risks, and environmental hazards that could impact food safety.
-----------------	--

Performance Indicators:

- A. All potentially contaminated sites and sources of contamination are identified and plans are in place to minimise risk to any pigs.
- B. All identified sites and sources of contamination are managed to prevent pig access.
- C. Foreign objects are removed from the pigs' environment.
- D. Any pigs potentially exposed to food safety hazards are identified and managed in a manner that reduces the risk of contamination of pork products for human consumption in accordance with legal requirements, including pigs involved in on-farm research and development studies.
- E. Critical Control Points (CCPs), identified in the Pork On-Farm HACCP Plan (SARDI Final Report)¹³, are monitored for identified food safety hazard indicators and corrective actions are taken where necessary.

Table 2: Physical and Chemical Hazards

CCP NO.	Description of Control Point	Hazards Controlled
1	Selection of breeding stock (SOP7, PigPass NVD)	Non-recovered broken needles, chemical residues
2	Farrowing - vaccinations (SOP5, Record 6)	Non-recovered broken needles
3	Growing stock treatments (SOP5, Record 6)	Non-recovered broken needles
4	Piggery input controls (SOP6, Record 11)	Chemical residues (from grain treatments, sanitisers, pest control products, herbicides)
5	Pre-sale check (SOP8, Record 7)	Non-recovered broken needles, medication Withholding Periods (WHP), chemical residues

- F. SOPs, WIs and records are in place to manage food safety-related risks on the piggery to acceptable levels, including pigs in on-farm research and development studies.

¹³ Pork On-Farm HACCP Plan, SARDI. Final Report Project No. 2009/2260

2.2 Pig Treatments

Standard	A system is in place to ensure that medications and chemicals given to pigs are administered in a safe and appropriate manner that minimises the risk of chemical residues or physical hazards entering the food supply chain.
-----------------	---

Performance Indicators:

- A. Records for pigs that are treated with medications and chemicals are kept for a minimum of three (3) years and specify:
 - The weight of the pigs to ensure they receive the correct dose
 - The name of the medication or chemical used
 - The date of treatment
 - The amount administered
 - Label directions/off label
 - WHP and Export Slaughter Interval (ESI).
 - Repetitive treatments; AND/OR
 - Non-response to treatment.
- B. Pigs with broken needles or other known retained foreign objects are identified, recorded, and reported to the recipient at sale or slaughter. Details of the object and the object’s location is noted on the PigPass NVD.
- C. Any off-label use of any medication or chemical, including any changes to WHPs or ESIs, is prescribed by a veterinarian and recorded in a manner consistent with the applicable veterinary prescribing legislation.
- D. Recommended injection and treatment procedures are followed and the correct drug dose rates are used.
- E. Staff administering treatments to pigs are competent (Refer Performance Indicator 3.2 A).

2.3 Feed Practices and Medicated Feed Management

Standard	Systems are in place to ensure that pigs are not exposed to contaminated feedstuffs or bedding to minimise the risk of chemical residues and biological contaminants and to comply with the prohibition of swill feeding.
Performance Indicators:	
A. All purchased feed, feed ingredients, and bedding materials that may be consumed by pigs or may be in contact with pigs are accompanied by a Commodity Vendor Declaration (CVD) stating any product(s) used in production and its WHP status or, where CVDs are not available, sufficient feed or bedding samples ¹⁴ must be kept to enable residue testing when required. Samples must be kept for six (6) months.	
B. A system is in place to ensure that grain used for home mixing is not within a WHP.	
C. There is a system in place that records all feed received and the medications in those feeds.	
D. Feed storage facilities are identified and feed deliveries are checked to ensure that feed is placed in the correct facilities.	
E. Feed mixing, storage, and delivery procedures prevent non-medicated feed becoming contaminated by medicated feed or feed that contains any hazardous risk materials (such as mouldy grains or other specified risk materials).	

2.4 Medication and Chemical Management

Standard	Piggery medications and chemicals are used, stored, and handled in accordance with the manufacturer's instructions and their use is recorded.
Performance Indicators:	
A. A list of medications ¹⁵ used in the piggery is maintained and kept up to date, and <ul style="list-style-type: none"> – Where any medications are used in pigs that are subject to veterinary prescription, a copy of a valid prescription from the prescribing veterinarian is held and available at the piggery. 	
B. Records of piggery medication and chemical use are available that specify or estimate pig weight (where relevant) and amount administered (Refer Performance Indicator 2.2 A).	
C. Piggery medications and chemicals are stored, handled, and used in accordance with manufacturer's instructions (unless APIQ [✓] ® Performance Indicator 2.2 C applies).	

¹⁴ Refer APIQ[✓]® *Reference Manual* for how to collect and store samples.

¹⁵ 2.5 A (APIQ[✓]® Standards 3.4 1/2014) required producers to have an Approved Medication List (AML) signed by the veterinarian. The medication list replaces the AML requirement however producers with current AML in place are deemed to comply with this Standard.

ANIMAL WELFARE STANDARDS – SUMMARY TABLE

No.	Standard	
3.1	Planning and Contingency Arrangements in Place	<p>Contingency arrangements are in place to manage pigs in the event of a delay in feed delivery, through mechanical or facility breakdown, extremes of weather, or other emergencies.</p> <p>Planning is carried out to ensure activities are conducted in a timely manner and to minimise risk to pigs.</p>
3.2	Staff Competency Maintained	<p>Staff perform their required duties in accordance with the <i>Model Code of Practice for the Welfare of Animals – Pigs (Third Edition)</i> (MCOP) and personnel managing and handling pigs are competent or are supervised by a competent person.</p> <p>A current copy of the MCOP is on file and accessible to all staff for reference at any time.</p>
3.3	Facilities and Environment meet the <i>Model Code of Practice for the Welfare of Animals – Pigs</i> (Third Edition) Requirements	Facilities are provided and maintained to protect pigs from weather extremes and injury.
3.4	Adequate Feed and Water is Available	Feed and suitable liquid that meet the nutritional needs of pigs are provided and are accessible without excessive effort required by the pigs.
3.5	Routine Health and Husbandry Measures are in Place	Animal health and care policies and practices designed to optimise the health and welfare status of the herd are in place and routine husbandry practices are managed to minimise risks to pigs.
3.6	On-farm Euthanasia of Pigs Meets the <i>Model Code of Practice for the Welfare of Animals – Pigs</i> Requirements	A documented program is in place for the prompt and humane destruction of sick and injured pigs.

Animal Welfare Standards and Performance Indicators

3.1 Planning and Contingency Arrangements in Place

Standard	<p>Contingency arrangements are in place to manage pigs in the event of a delay in feed delivery, through mechanical or facility breakdown, extremes of weather, or other emergencies.</p> <p>Planning is carried out to ensure activities are conducted in a timely manner and to minimise risk to pigs.</p>
-----------------	---

Performance Indicators:

- A. Contingency plans are in place that include:
- Obtaining feed and water in the event of delay in delivery, inappropriate quality, equipment failure, or other facility or equipment emergency.
 - Protection of pigs from predators.
- B. For sheds with automatically controlled forced ventilation or natural ventilation, there are procedures in place to enable effective airflow at all times. Procedures may include, but are not limited to, a failsafe back-up system to address power failures and/or an alarm to provide warning.
- C. Care is taken to ensure that electrical installations and power are properly installed and earthed and will not cause harm to pigs.
- D. There is a maintenance program in place for facilities and equipment, and for regular checks of facilities and alarms.

3.2 Staff Competency Maintained

Standard	<p>Staff perform their required duties in accordance with the <i>Model Code of Practice for the Welfare of Animals – Pigs (MCOP)</i> and personnel managing and handling pigs are competent or are supervised by a competent person.</p> <p>A current copy of the MCOP is on file and accessible to all staff for reference at any time.</p>
-----------------	--

Performance Indicators:

- A. Pigs are cared for by personnel who are skilled and competent in pig husbandry to maintain the health and welfare of animals as explained in the provisions of the *Model Code of Practice for the Welfare of Animals – Pigs*, or personnel work under the supervision of a competent person. Competency may be demonstrated or assessed by the following methods:
- Formal industry training in pig husbandry.
 - Individual skills assessment by a competent skilled person.
 - Documented work history outlining competency by recognising past experience or Recognising Prior Learning (RPL).
- B. Staff training is recorded and evidence demonstrates that individuals are trained in or are being trained in their required tasks.
- Training must be ongoing as responsibilities and practices change.
- C. There is an induction program for new staff to become familiar with their tasks and staff are trained as required (Refer Performance Indicator 1.1 F).
- D. There is a copy of the current *Model Code of Practice for the Welfare of Animals – Pigs* on file at the piggery and readily accessible to staff for reference.

3.3 Facilities and Environment Meet the *Model Code of Practice for the Welfare of Animals — Pigs Requirements*

Standard	Facilities are provided and maintained to protect pigs from weather extremes and injury.
Performance Indicators:	
A. Accommodation, including feed and watering facilities, are designed, constructed, and managed in a way that complies with the <i>Model Code of Practice for the Welfare of Animals – Pigs</i> .	
B. Facilities and equipment are checked daily, and defects are rectified. Fire protection measures are in place in accordance with the requirements of local authorities. <ul style="list-style-type: none"> – Where fire-fighting equipment is available, staff are trained in its use. – In large shelters that are difficult to service with fire equipment and where pigs are in one (1) space, there must be gates to open to allow pigs to escape. 	
Note: At all times personal safety is the priority. Where it is not possible to save pigs, staff should focus on containment to avoid the spread of fire to adjacent facilities.	
C. Ventilation systems and procedures at the facility ensure that the level of air exchange provides sufficient fresh air for pigs (Refer Performance Indicator 3.1 B).	
D. Accommodation or housing for pigs provides for the minimum space allowances detailed in the <i>Model Code of Practice for the Welfare of Animals — Pigs</i> .	
E. Equipment for humane destruction and routine husbandry procedures is stored appropriately, maintained and fully operational.	
F. Tethering is not used to restrain pigs.	
G. Dogs are not used to move pigs unless muzzled and/or under effective control to prevent biting.	

3.4 Adequate Feed and Water is Available

Standard	Feed and suitable liquid that meet the nutritional needs of pigs are provided and are accessible without excessive effort required by the pigs.
Performance Indicators:	
A. All pigs are maintained in an adequate body condition (above a body score of 2), otherwise action is taken.	
B. Feed provided is fresh, palatable, and free of contaminants.	
C. Water is palatable and of suitable quality for pigs.	
D. All pigs can access feed and water to meet their requirements.	
E. Automatic feeding and/or watering systems are checked daily.	

3.5 Routine Health and Husbandry Measures are in Place

Standard	Animal health and care policies and practices designed to optimise the health and welfare status of the herd are in place and routine husbandry practices are managed to minimise risks to pigs.
Performance Indicators:	
A. A Herd Health Plan (HHP) is in place to manage the risk of infectious diseases and includes SOPs and/or WIs. – Small Holders complete the HHP checklist in the Pig Management Diary (Diary).	
B. Where vaccinations or minor surgical procedures are conducted, this is by or under direct supervision of a competent person, and is recorded in accordance with the documented HHP.	
C. Pigs are adequately inspected at least once daily and more frequently when required.	
D. Boars kept in stalls are released for mating or exercised at least twice per week.	
E. Action is taken to minimise fighting and bullying where required.	
F. Pigs with injuries or illness are identified and treated with an appropriate treatment regime as soon as practically possible.	
G. Surgical castration or surgical procedures that render a male pig older than 21 days of age sterile are performed under anaesthesia and by a veterinary practitioner.	

3.6 On-farm Euthanasia of Pigs Meets the *Model Code of Practice for the Welfare of Animals — Pigs Requirements*

Standard	A documented program is in place for the prompt and humane destruction of sick and injured pigs.
Performance Indicators:	
A. Pigs not responding to treatment or that are in pain are identified and action taken to humanely destroy them using approved methods.	
B. Pigs suffering from incurable diseases or injuries and/or moribund pigs are humanely destroyed.	
C. All dead pigs are removed from pens and/or facilities as soon as practicable and disposed of according to requirements of the <i>Model Code of Practice for the Welfare of Animals – Pigs</i> and a deaths and losses record is maintained.	

BIOSECURITY STANDARDS – SUMMARY TABLE

No.	Standard	
4.1	On-farm Systems are in Place to Minimise the Risk of Contamination or Disease Spread	Risks to pigs from disease or contamination brought into the piggery by people, vehicles, or animal movements are minimised.
4.2	The Risk of Disease Introduction from New Stock and Semen is Controlled	New diseases or disease-causing agents of significant importance are prevented from establishing in the herd through the introduction of new stock or semen.
4.3	Staff are Trained in Emergency Disease Awareness and Follow Biosecurity Procedures	Staff are aware of the procedures to identify, manage, and report exotic and endemic diseases.
4.4	Pest Control Procedures are in Place	The risk of disease spread through pests is minimised.

Biosecurity Standards and Performance Indicators

4.1 On-farm Systems are in Place to Minimise the Risk of Contamination or Disease Spread

Standard	Risks to pigs from disease or contamination brought into the piggery by people, vehicles, or animal movements are minimised.
Performance Indicators:	
A. Pigs are not fed swill or any food scraps that contain meat or other matter from animals or other substances prohibited by State and Territory legislation (Refer Standard 2.3).	
B. Facilities and procedures as documented in the on-farm Food Safety and Biosecurity Plan are in place to minimise the risk of contamination or disease spread from animals, people, or transport movements, including: <ul style="list-style-type: none">– A controlled entrance to the piggery is in place through which all visitors, animal, and transport movements are admitted.– Records of visitors, animal, and transport movements are maintained.– All staff are aware of the piggery biosecurity procedures and have signed a Personnel Biosecurity Declaration.– Hand-washing and/or shower facilities and boots and clothing are provided to visitors prior to contact with pigs.	
C. Trucks used to carry pigs meet the requirements of the APIQ✓® Transport Standards.	
D. All equipment used with pigs or brought into pig housing is cleaned and, where practical, disinfected.	

4.2 The Risk of Disease Introduction from New Stock and Semen is Controlled

Standard	New diseases or disease-causing agents of significant importance are prevented from establishing in the herd through the introduction of new stock or semen.
Performance Indicators:	
A. Policies and procedures are in place to ensure that introduced stock and semen comply with biosecurity requirements as outlined in the requirements of the <i>National Farm Biosecurity Manual for Pork Production</i> , version 2.1 ¹⁶ .	
B. All introduced stock is inspected for signs of disease on arrival.	
C. Introduced breeding stock of unknown health status, or with a health status less than that of the herd, are quarantined and observed for any signs of disease before being introduced to the breeding herd. The quarantine period should be the minimum period specified in the piggery's on-farm Food Safety and Biosecurity Plan and/or Herd Health Plan, developed in consultation with the farm's veterinarian, or at least 21 days if no veterinary direction to the contrary has been obtained.	
D. On farm quarantine facilities for introduced stock provide <ul style="list-style-type: none">– Inability for introduced pigs to co-mingle with existing pigs.– Suitable buffer distances to prevent the spread of contamination by aerosol.– Appropriate isolation¹⁷ as prescribed by the veterinarians in the piggery's on farm Food Safety and Biosecurity Plan and/or Herd Health Plan.	

¹⁶ This manual can be found on the Animal Health Australia website (www.animalhealthaustralia.com.au).

¹⁷ Isolation methods may include but are not limited to walled-off areas, separate buildings, or areas with separate ventilation within existing buildings.

4.3 Staff are Trained in Emergency Disease Awareness and Follow Biosecurity Procedures

Standard	Staff are aware of the procedures to identify, manage and report exotic and endemic diseases.
-----------------	--

Performance Indicators:

- A. Staff are aware of important exotic and endemic diseases, are able to recognise the signs of ill health in pigs, and are aware of the procedures to follow when such signs are seen.
- B. A copy of an Emergency Disease Awareness and Action poster¹⁸, showing signs of important emergency diseases and contact phone numbers to report any suspicious signs, is maintained in a prominent location readily accessible and visible to all staff.

Note:

The ‘*Biosecurity at Your Piggery – Keep Diseases Out*’ video can assist in staff training to meet this Standard. It can be found online by typing “*APL Biosecurity at Your Piggery*” in the search bar within YouTube.

Evidence can be shown by, but is not limited to, training records, statements of qualifications, interviews during Compliance Audits, or Vet Reports.

4.4 Pest Control Procedures are in Place

Standard	The risk of disease spread through pests is minimised.
-----------------	---

Performance Indicators:

- A. Domestic pigs are separated from feral pigs, domestic poultry, and other animals of risk, by secure containment in buildings and/or a secure piggery perimeter fence.
- B. Risks from rodents and other pests accessing pigs, feed stores and bedding are controlled through an appropriate pest control program.
 - Pest control products are not accessible to pigs.

¹⁸ Available on the APIQ[✓]® website www.apiq.com.au/Resources

TRACEABILITY STANDARDS – SUMMARY TABLE

No.	Standard	
5.1	Pig Movements	<p>Pigs are identified according to state regulator requirements when moved.</p> <p>PigPass NVDs are correctly completed when appropriate.</p> <p>Movements of pigs are reported to the PigPass database such that pigs can be reliably traced to their previous location.</p> <p>Records of movements are kept for a minimum of three (3) years.</p>

Traceability Standards and Performance Indicators

5.1 Pig Movements and Transport Documentation

Standard	<p>Pigs are identified according to state regulator requirements when moved.</p> <p>PigPass NVDs are correctly completed when appropriate.</p> <p>Movements of pigs are reported to the PigPass database such that pigs can be reliably traced to their previous location.</p> <p>Records of movements are kept for a minimum of three (3) years.</p>
-----------------	---

Performance Indicators:

- A. All pigs are clearly identified according to State legislation.
 - Before moving from their property of birth and where ownership changes all pigs are identified with a tag or brand which indicates (or is linked to it in the case of brands) the Property Identification Code (PIC) of birth.
 - Where a movement occurs and ownership does not change (excluding movements to shows/ events and sale yards), pigs are exempt from being identified before movement, provided that movement is reported to the PigPass database.
 - Tattoos/brands on pigs for delivery are legible.
- B. All pig movements where pigs are sold, slaughtered, purchased, exhibited or moved to a PIC covered by a different APIQ✓[®] Certification are accompanied by a valid and correctly completed PigPass NVD.
 - PigPass NVDs are completed correctly and in full.
 - Incoming stock must be accompanied by a correctly completed PigPass NVD from the property of origin if not covered under the same APIQ✓[®] Certification.
- C. Where pigs are moved to a different PIC, these movements are reported to the PigPass database within two working days of their arrival.
 - For movements originating outside the certification, details of the movement and its accompanying PigPass NVD are reported to the database.
 - For movements between sites covered by this APIQ✓[®] Certification (internal movements), details of these movements are reported to the PigPass database where the PIC changes.
 - Records must be retained for three (3) years as a minimum, or longer if the pigs referred to in the PigPass NVD continue to reside on the property¹⁹.
- D. Truck drivers complete Section ‘D’ of the PigPass NVD.

¹⁹ Where scanned copies of incoming PigPass NVDs are uploaded to the PigPass database, this requirement is met, even if the paper copy is discarded.

ENVIRONMENTAL STANDARDS – SUMMARY TABLE

No.	Standard	
6.1	Environmental Regulatory Compliance	The piggery complies with applicable State or Territory and local government environmental regulatory requirements.
6.2	Piggery Upkeep	The piggery and its surrounding environment are maintained in a condition that is consistent with good function and effective risk management.
6.3	Management of Environmental Impact for Pigs Outdoors	Where pigs are kept outdoors, environmental management is undertaken according to the requirements of the <i>APL National Environmental Guidelines for Piggeries</i> (NEGP) and the <i>National Environmental Guidelines for Rotational Outdoor Piggeries</i> (NEGROP), as contained in the current version of the APIQ [✓] ® Standards (numbers 6.3.1-6.3.4 inclusive).

Environmental Standards and Performance Indicators

6.1 Environmental Regulatory Compliance

Standard	The piggery complies with applicable State or Territory and local government environmental regulatory requirements.
Performance Indicators:	
A. Documentation showing applicable State or Territory and local government environmental regulatory requirements for the site is available on farm.	
B. Compliance evidence is present and current. This may include, but is not limited to: <ul style="list-style-type: none"> – A Licence and/or planning/development permit to Operate. – Records of an environmental audit by a qualified third party. – Certification or correspondence from the responsible state and/or local Government body. – A producer declaration stating the site is compliant. 	
C. Where there is a compliance matter pending, documentation is present showing actions being taken and the likely time frame for resolution.	
D. Effluent disposal systems for piggery effluent meet the stated regulatory requirements for the site at the time of APIQ [✓] ® Compliance Audit. This includes: <ul style="list-style-type: none"> – Bunded storage of spent bedding from pig accommodation on a suitably compacted area; AND – Appropriate containment and management of liquid effluent from indoor housing sheds. 	

6.2 Piggery Upkeep

Standard	The piggery and its surrounding environment are maintained in a condition that is consistent with good function and effective risk management.
Performance Indicators:	
A. The premises are maintained in a clean tidy state.	
B. Repairs and maintenance to buildings and equipment are carried out in a timely manner.	
C. Accumulated rubbish, redundant equipment, or scrap metal is kept in controlled areas separate from livestock, feed storage, and public access.	
D. There is no unintended build-up of weeds.	

6.3 Management of Environmental Impact for Pigs Outdoors

Standard	Where pigs are kept outdoors, environmental management is undertaken according to the requirements of the APL <i>National Environmental Guidelines for Piggeries</i> (NEGP) and the <i>National Environmental Guidelines for Rotational Outdoor Piggeries</i> (NEGROP), as contained in the current version of the APIQ [✓] ® Standards (numbers 6.3.1-6.3.4 inclusive).
----------	---

6.3.1 Soil Monitoring Standard

Standard	<p>Sampling and analysis of soils must be done:</p> <ul style="list-style-type: none"> – Within two (2) months of initial APIQ[✓]® Certification for the paddocks that will be in use by outdoor pigs at the time of the initial audit; – Before pigs move onto a new land area, unless that land has been tested in the past 24 months; – At the end of any 24 month period in which pigs are stocked on an area for any length of time; – In accordance with the conditions of a licence, approval or consent that requires specific soil monitoring, or in accordance with sampling depths and analysis parameters in the <i>National Environmental Guidelines for Piggeries</i>; AND – By collecting samples from the expected nutrient-rich area of each block of paddocks.
----------	--

Performance Indicators:

A. Soil sampling produces a set of samples that is representative of the expected nutrient-rich area of each block of paddocks²⁰ by:

- Drilling at least 10 holes from dispersed locations between the shelter(s) and the outside feeding and watering points from a block of paddocks; AND
- Bulking the samples of soils collected from common depths to produce a single composite sample for each depth from all blocks of paddocks sampled (i.e. a bulked top soil, subsoil, and profile sample) or in accordance with the requirements of the conditions of a licence, approval, or consent.

B. Soil sampling occurs:

- Within two (2) months of initial FR (or Conditional FR) Certification for the paddocks that will be in use by pigs from the time of the initial audit; AND
- Before pigs move onto a new land area, unless that land area has been tested in the past 24 months; AND
- At the end of any 24 month period in which pigs are stocked on an area for any length of time.

²⁰ A block of paddocks is defined as a group of adjacent paddocks used simultaneously to run pigs. For example, piggeries that operate with a radial paddock system, one (1) radial would constitute a block of paddocks. Similarly, if a piggery uses eight (8) adjacent rectangular paddocks at a time this would constitute a block of paddocks.

C. Soil sampling depths and analysis parameters are either:

- In accordance with the conditions of a planning or development consent, approval, permit, or licence; OR
- If not stipulated, in accordance with the parameters below.

Soil Test Parameter	Depth
pH	0–0.1 m
	0.3–0.6 m or bottom 0.3 m of soil profile or 0.3 m to base of root zone
Electrical conductivity	0–0.1 m
	0.3–0.6 m or bottom 0.3 m of soil profile or 0.3 m to base of root zone
Nitrate-nitrogen	0–0.1 m
	0.3–0.6 m or bottom 0.3 m of soil profile or 0.3 m to base of root zone
Available phosphorus	0–0.1 m
	0.3–0.6 m or bottom 0.3 m of soil profile or 0.3 m to base of root zone
Phosphorus buffer capacity or phosphorus sorption index	0–0.6 m or 0 m to base of soil profile or 0 m to base of root zone
Potassium	0–0.1 m
	0.3–0.6 m or bottom 0.3 m of soil profile or 0.3 m to base of root zone
Organic carbon	0–0.1 m
Exchangeable cations and CEC	0–0.1 m
	0.3–0.6 m or bottom 0.3 m of soil profile or 0.3 m to base of root zone

6.3.2 Nutrient Management Standard

Standard	<p>Before initial APIQ[✓]® Certification and before the commencement of a pig phase on a new land area the results of soil testing show that soil nutrients are at suitable levels for the area to be used for pig production; AND</p> <p>The results of soil testing undertaken at the end of any 24 month period that includes a pig phase show that soil nutrients are at suitable levels for the area to be used for ongoing or subsequent pig phases.</p>
-----------------	---

Performance Indicators:

- A. Before initial APIQ[✓]® Certification and before the commencement of a pig phase on a new land area, the results of soil testing show that:
- The soil properties are below the trigger values suggested as indicators of sustainability in Section 17.5.4 of the *National Environmental Guidelines for Piggeries*; OR
 - The soil properties are similar to; i.e. no more than 30 percent greater²¹ than those of a representative background plot or the baseline's soil tests for an area planned for pig production²²; OR
 - The soil properties are satisfactory to the licensing authority or an independent soil scientist or agronomist²³.
- B. The results of soil testing undertaken on areas that have included a pig phase over any part of any 24 month period show that:
- The soil properties are below the trigger values suggested as indicators of sustainability in Section 17.5.4 of the *National Environmental Guidelines for Piggeries*; OR
 - The soil properties are similar to; i.e. no more than 30 percent greater than those of a representative background plot; OR
 - The soil properties are satisfactory to the licensing authority or an independent soil scientist or agronomist.

21 APIQ[✓]® *Compliance Guide for Producers and Auditors*.

22 A representative background plot is an area of land that has a similar soil type and is physically close to the land being monitored. It is sampled and analysed at the same time as the land being monitored to provide a basis for comparison when interpreting soil test results. In some cases, a representative background plot can be a site located within the land area planned for pig production that is sampled to provide baseline results for future comparison. In both cases, the representative background plot must not have been used for outdoor pig production, irrigated with effluent or spread with manure in the past, or received heavier fertiliser applications than the paddocks in the preceding 12 months. It is recognised that it is not always easy to find a suitable background plot. The location of the representative background plot or baseline soil tests should be carefully noted as samples should be collected from the same location each time.

23 It is the farm's responsibility to ensure that their business complies with the permit/licensing arrangements required by their State authority/local council.

6.3.3 Promoting Even Nutrient Distribution Standard

Standard	<p>Facilities and practices are actively managed to promote dispersal of manure nutrients over the paddock area.</p> <p>Rotation of paddocks or pig facilities is practised to ensure even nutrient distribution over the total land area used for pigs on the farm.</p>
-----------------	--

Performance Indicators:

A. For breeder pig paddocks:

- Readily movable structures that could include shelters, shade, feeding points, waterers, wallows, and spray or drip cooling facilities are moved within the paddock at least every six (6) months to promote more even manure deposition over the land; OR
- Feed is always delivered right along the length of a paddock perimeter fence line or dispersed over a significant part of the paddock area and feeding areas are well separated from shelters; OR
- When the length of the pig phase is less than six (6) months, readily movable structures that could include either shelters, shade, feeding points, waterers, wallows, and spray or drip cooling facilities are located in different positions before the return of pigs to the area.

B. For grower/finisher pig paddocks:

- Readily movable structures that could include shelters, shade, feeding points, waterers, wallows, and spray or drip cooling facilities are moved within the paddocks at least every three (3) months to promote more even manure deposition over the land; OR
- Feed is always delivered right along the length of a paddock perimeter fence line or dispersed over a significant part of the paddock area and feeding areas are well separated from shelters or these feeding areas are moved to a new location at least every three (3) months; OR
- When the length of the pig phase is less than three (3) months, readily movable structures that could include shelters, shade, feeding points, waterers, wallows, and spray or drip cooling facilities are located in different positions before the return of pigs to the area.

C. If significant quantities of spent bedding are produced from shelters, this material is:

- Dispersed over land within the pig paddocks that is not within the expected nutrient rich areas that are bounded by the shelters, shade, feeding points, waterers, wallows, and spray or drip coolers; OR
- Removed from the pig paddocks for spreading on other parts of the farm or for reuse off-farm.

6.3.4 Land and Water Protection Standard

Standard	Land and water are protected by minimising soil erosion throughout both the pig and the crop, forage, or pasture phases of the rotation; by rehabilitating the site after the pig phase; by using water protection measures; and by properly constructing and managing wallows.
-----------------	--

Performance Indicators:

A. Land is managed to minimise soil erosion by:

- Selecting sites with a flat to gentle slope; AND
- Maintaining sufficient groundcover²⁴ over paddocks as much as practical throughout both the pig and the crop, forage, or pasture phases to minimise erosion; AND/OR
- Installing and maintaining properly designed shelter belts; and/or, filter strips; and/or contour banks in blocks of paddocks.

B. Each block of paddocks is examined:

- On completion of the pig phase; OR
- Where the pig phase exceeds 24 months in length the paddocks are examined at least every 24 months; AND
- Any soil erosion or structural issues that need addressing are identified; AND
- A plan to address these is developed and implemented within three (3) months of the completion of the examination.

C. Where significant soil compaction has resulted from the pig phase, the site is remediated by:

- Only cultivating the soil when the moisture content is between wilting point and field capacity; AND/OR
- Growing pasture crops (ungrazed); AND/OR
- Deep ripping the soil (if this is a suitable measure for the soil type); AND/OR
- Applying gypsum to the soil (if this is a suitable measure for the soil type).

D. Removal of nutrients in stormwater runoff is minimised by:

- Maintaining groundcover over paddocks throughout both the pig and the crop, forage, or pasture phases; AND/OR
- Maintaining a continuous resilient vegetative buffer strip ideally consisting of a runner developing non-clump forming grass species at least 10 m wide immediately down slope of the entire paddock area(s); OR
- Installing terminal ponds sized and located to catch the first 12 mm of runoff from the piggery paddocks and other land within the same local catchment area.

E. Sites selected for wallows have loam to clay soils or the base of the wallow is lined with compacted clay.

F. Wallows are remediated when they are replaced and if needed within three (3) months of completion of the pig phase by:

- Deep ripping the soil; AND/OR
- Applying gypsum to the soil (if these are suitable measures for the soil type); AND
- Filling with soil; AND
- Levelling to match the slope of the immediately surrounding land.

G. A forage crop or pasture is given time to establish before the commencement of a pig phase.

²⁴ Groundcover is any material on or near the soil surface that provides protection for the soil against the erosive action of rainfall runoff or wind. It may include plant material (alive or dead), spent bedding and other cover materials providing these will not be carried away in rainfall runoff or blown away by the wind. Since attached plant material is more effective than dead plant material or other light matter lying on the soil surface it is recommended that it make up the majority of the groundcover. It is expected that groundcover will vary throughout the course of a year due to plant growth and pig production cycles and that at certain times of the year there will be very little and in some cases no groundcover. To meet the Standards, groundcover must be encouraged through pig/paddock rotations, amended stocking rates and growing of pastures and crops, so that in the course of a year the plants have the opportunity to regenerate and new groundcover is established. This process should be clearly explained in SOPs and auditors will need to recognise what stage of production the farm is in at the time of the audit. The APIQ[®] Compliance Guide for Producers and Auditors provides guidance on what evidence a producer can provide to auditors to demonstrate compliance to this Standard.

TRANSPORT STANDARDS – SUMMARY TABLE

No.	Standard	
7.1	Pre-transport Selection and Preparation of Pigs	Systems are in place to ensure that pigs are selected and transported in accordance with requirements on the PigPass NVD, as well as relevant animal welfare, transport, and biosecurity procedures and legislation.
7.2	Drivers, Vehicles, and Facilities	<p>Drivers and vehicles used to carry pigs follow the farm's Biosecurity Standards (as per the on-farm Food Safety and Biosecurity Plan).</p> <p>Facilities promote effective and safe handling of pigs when loading or unloading.</p>
7.3	Compliance with Pig Transport Code	Pig transport arrangements comply with all requirements of the current version of the <i>Australian Animal Welfare Standards and Guidelines, Land Transport of Livestock, Edition 1.1</i> , 21 September 2012.

Transport Standards and Performance Indicators

7.1 Pre-transport Selection and Preparation of Pigs

Standard	Systems are in place to ensure that pigs are selected and transported in accordance with requirements on the PigPass NVD, as well as relevant animal welfare, transport and biosecurity procedures and legislation.
-----------------	--

Performance Indicators:

A. Pigs are assessed as fit for the intended journey at every loading²⁵.

Pigs must be:

- Able to walk on their own by bearing weight on all legs.
- Not severely emaciated.
- Not visibly dehydrated.
- Not showing visible signs of severe injury or distress.
- Not suffering from conditions that are likely to cause increased pain or distress.
- Not blind in both eyes.
- Not known to be, or visually assessed not to be, within two (2) weeks of parturition, unless time off water or in transit to another destination is less than four (4) hours.

B. The time that pigs were removed from feed and water is recorded and communicated to the saleyard, abattoir, or next owner using the PigPass NVD (Refer Performance Indicator 5.1 B).

C. Staff managing and handling pigs are aware of the pre-transport provisions in their respective State legislation.

7.2 Drivers, Vehicles, & Facilities

Standard	Drivers and vehicles used to carry pigs follow the farm's Biosecurity Standards (as per the on-farm Food Safety and Biosecurity Plan).
	Facilities promote effective and safe handling of pigs when loading or unloading.

Performance Indicators:

A. Drivers and other transport personnel do not enter designated 'clean areas'.

B. Vehicles are cleaned and disinfected between consignments.

C. Handling, assembly, loading and/or unloading of pigs is conducted with care and in a manner that minimises stress to pigs.

- Electric prodders are only used on individual pigs weighing 60 kilograms (live weight) or more when loading the pigs and only when all other means of moving or controlling the pig(s) have been exhausted.

D. Loading facilities, unloading facilities and farm roads are designed and maintained to facilitate safe loading and delivery of pigs and safety for operators.

²⁵ If in doubt about a pig's suitability to load, producers should seek veterinary advice, maintain Vet Reports, and take dated photographic evidence of the pig and record the actions they have taken.

7.3 Compliance with Pig Transport Code

Standard	Pig transport arrangements comply with the requirements of the current version of the <i>Australian Animal Welfare Standards and Guidelines, Land Transport of Livestock, Edition 1.1, 21 September 2012.</i>
-----------------	--

Performance Indicators:

- A. Time off water and feed meets the Standards outlined in the *Australian Animal Welfare Standards and Guidelines, Land Transport of Livestock, Edition 1.1, 21 September 2012.*
- B. Loading densities²⁶ outlined in the current *Model of Practice for the Transport of Pigs* are known and followed by individuals responsible and/or involved in loading pigs.
- C. Deliveries are planned, scheduled, and conducted to minimise delays and protect pigs from sunburn and/or extreme weather conditions in transit.

²⁶ *Australian Animal Welfare Standards and Guidelines, Land Transport of Livestock, Edition 1.1, 21 September 2012 – GB 9.7*

APIQ[✓]® STANDARDS – OPTION A: GESTATION STALL FREE (GSF)

GESTATION STALL FREE – SUMMARY TABLE

No.	Standard	
1.1	Gestation Stall Free ²⁷ (GSF)	The piggery production system complies with the APL Definition ²⁸ for GSF and APIQ [✓] ® Standards and Performance Indicators for GSF production.

27 The Australian pork industry is moving voluntarily and swiftly to a gestation stall free production system, whereby the sows are not individually confined for at least 90 per cent of their pregnancies, as outlined in the APL GSF definition.

28 www.apiq.com.au (click on APIQ Information Tab Gestation Stall Free)

Gestation Stall Free (GSF)

GSF 1.1 Gestation Stall Free

Standard	The piggery production system complies with the APL Definition for Gestation Stall Free (GSF) and APIQ[✓]® Standards and Performance Indicators for GSF production.
<p>Performance Indicators:</p> <p>A. Sows and gilts²⁹ are kept in loose housing from at least five (5) days after service until one (1) week before farrowing, where service refers to the last mating.</p> <ul style="list-style-type: none"> – Sows and gilts kept in loose housing have freedom of movement i.e. they can turn around and extend their limbs freely. – Space allowances for sows and gilts meet the requirements of the <i>Model Code of Practice for the Welfare of Animals – Pigs</i>. – Free access pens and/or electronic sow feeding systems, which contain individual feeders or feeding accommodation, but which allow the individual pig to go in and out at will, can be used. <p>B. Individual pigs can be temporarily confined:</p> <ul style="list-style-type: none"> – In Hospital or Special Care Stalls to allow sufficient time to provide special care for sickness, injury, medications, and other health treatments under veterinary advice, or under special care by a competent stockperson. – In feeding stalls which can be used for up to three (3) hours in one (1) day for feeding and/or animal husbandry reasons such as vaccination and pregnancy testing. <p>C. Records must be kept for any sow or gilt temporarily confined showing why the pig(s) were/are temporarily confined and duration of confinement.</p> <ul style="list-style-type: none"> – If temporary confinement is used these practices are described in the piggery SOPs and/or WIs. 	

Notes:

The process for verification of a producer’s compliance to GSF is outlined in the APIQ[✓]® Implementation Manual and the APIQ[✓]® Reference Manual.

Free Range and Outdoor Bred, Raised Indoors on Straw systems automatically qualify for GSF verification.

²⁹ A gilt is a female pig which has been purchased or selected for breeding purposes.

**APIQ[✓]® STANDARDS – OPTION B: CUSTOMER SPECIFICATIONS
FOR SUPPLY TO COLES SUPERMARKETS AUSTRALIA PTY LTD
(COLES) (CSC)**

CSC - SUMMARY TABLE

No.	Standard	
1.1	Stocking Density	Performance Indicators for pen space and housing are met for all pigs.
1.2	Husbandry Practices	Performance Indicators for husbandry practices are implemented and maintained on-farm.
1.3	Antibiotics, Growth Promotant and Hormone Use	Pigs are not given Growth Promotants, Hormones and/or Antibiotics unless prescribed by a veterinarian.
1.4	Bedding and Enrichment	Bedding and/or enrichment must be provided as outlined in the Performance Indicators.

Customer Specifications for Coles Supermarkets Australia Pty Ltd (CSC)

CSC 1.1 Stocking Density

Standard	Performance Indicators for pen space and housing are met for all pigs.
Performance Indicators:	
A. Sow and gilt pens must: <ul style="list-style-type: none"> – Be large enough for pigs to turn around. – Be a minimum of 3.6 m² excluding drains but including slats. – Have sufficient space to allow pigs to lay down with limbs fully extended; AND – Sows and gilts in group housing must have a minimum lying area of 1.5 m². 	
B. Feeding and mating stations must be sized appropriate to the sows' size such that the sow is not simultaneously touching the sides or ends of the station.	
C. The minimum floor space requirements for weaners, growers and finishers is calculated as sq. m per pig = live weight to the power of 0.67 x 0.0315 ³⁰ (Table 1). <ul style="list-style-type: none"> – Deep litter systems must have an additional 30 percent space (See footnote Table 1). 	
D. Hospital pens must allow for 150 percent of the space required in Table 3 and information relating to the treatment of animals must be clearly displayed.	
E. Boars are not kept in stalls. <ul style="list-style-type: none"> – Pens for individual boars must be a minimum of 6 m²/boar, or as outlined in the <i>Model Code of Practice for the Welfare of Animals – Pigs</i>; AND – Boars kept in group housing must have a minimum of 3.6 m² excluding drains but including slats. 	

30 Example: A 70 kg pig to the power of 0.67x 0.0315 = 0.54 sq m per pig minimum available floor space area. The calculation is based on the average weight of pigs in the group.

CSC 1.2 Husbandry Practices

Standard	Performance Indicators for husbandry practices are implemented and maintained on-farm.
Performance Indicators:	
A. Sows and gilts are not confined in stalls at any stage of their lives. The use of farrowing crates is permitted.	
B. Sows and gilts may be mated in individual pens, individual stations or in groups: <ul style="list-style-type: none">– If a sow is mated in an individual pen it can remain in that pen for 30 days or until it is confirmed pregnant then moved to group housing.– If a sow is mated in an individual station, it must not be confined for a period of longer than 24 hours.	
C. Nose ringing of pigs is not permitted.	
D. No routine teeth clipping or grinding: <ul style="list-style-type: none">– Where deemed necessary by a veterinarian, teeth clipping and/or grinding may be permitted.	
E. Tusk trimming may only be done by a veterinarian or trained person following veterinary instruction.	
F. No castration is permitted. <ul style="list-style-type: none">– Where deemed necessary by a veterinarian for therapeutic reasons it must be carried out under anaesthesia by a veterinarian.	
G. No routine tail docking. <ul style="list-style-type: none">– Where tail docking is deemed necessary by a veterinarian it must be carried out before seven (7) days of age by a veterinarian or trained person.	
H. Piglets are weaned no less than 18 days from farrowing and at an average of 21 or more days.	
I. The Coles six (6) monthly Health and Welfare Reports ³¹ are completed.	

CSC 1.3 Antibiotics, Growth Promotants and Hormone Use

Standard	Pigs are not given Growth Promotants, Hormones and/or Antibiotics unless prescribed by a veterinarian.
Performance Indicators:	
A. The following products are not used: <ul style="list-style-type: none">– Hormone Growth Promotants.– Porcine Somatotropin (pST).– Ractopamine.– Boar Taint Vaccine.– Antibiotics that suppress subclinical disease, unless prescribed by a veterinarian, with a copy of the prescription kept on file at the piggery.	

³¹ The Herd Health & Welfare Report is completed by producers using the Coles/Muddy Boots audit system and is verified by the auditor through the course of the annual APIQ[✓] Compliance Audit.

CSC 1.4 Bedding and Enrichment

Standard	Bedding and/or enrichment must be provided, as outlined in the Performance Indicators.
<p>Performance Indicators:</p> <p>A. Manipulable and rootable material e.g. straw is provided for all breeding pigs³² for at least part of the breeding cycle.</p> <p>This requirement is:</p> <ul style="list-style-type: none"> – Mandatory for new facilities. – Preferred for existing facilities that are being refitted; AND – Required for all facilities by 2020. 	

³² Breeding pigs include sows, boars and gilts.

Table 1³³: Coles Minimum Space Requirements (m² per pig & m² Deep Litter per pig) for weaners, growers and finishers

LW(kg)	m ² /pig	m ² /DL pig	LW(kg)	m ² /pig	m ² /DL pig	LW(kg)	m ² /pig	m ² /DL pig	LW(kg)	m ² /pig	m ² /DL pig	LW(kg)	m ² /pig	m ² /DL pig
1	0.03	0.04	25	0.27	0.35	49	0.43	0.56	73	0.56	0.73	97	0.68	0.88
2	0.05	0.07	26	0.28	0.36	50	0.43	0.56	74	0.56	0.73	98	0.68	0.88
3	0.07	0.09	27	0.29	0.37	51	0.44	0.57	75	0.57	0.74	99	0.68	0.89
4	0.08	0.10	28	0.29	0.38	52	0.44	0.58	76	0.57	0.75	100	0.69	0.90
5	0.09	0.12	29	0.30	0.39	53	0.45	0.59	77	0.58	0.75	101	0.69	0.90
6	0.10	0.14	30	0.31	0.40	54	0.46	0.59	78	0.58	0.76	102	0.70	0.91
7	0.12	0.15	31	0.31	0.41	55	0.46	0.60	79	0.59	0.77	103	0.70	0.91
8	0.13	0.16	32	0.32	0.42	56	0.47	0.61	80	0.59	0.77	104	0.71	0.92
9	0.14	0.18	33	0.33	0.43	57	0.47	0.61	81	0.60	0.78	105	0.71	0.93
10	0.15	0.19	34	0.33	0.43	58	0.48	0.62	82	0.60	0.78	106	0.72	0.93
11	0.16	0.20	35	0.34	0.44	59	0.48	0.63	83	0.61	0.79	107	0.72	0.94
12	0.17	0.22	36	0.35	0.45	60	0.49	0.64	84	0.61	0.80	108	0.73	0.94
13	0.18	0.23	37	0.35	0.46	61	0.49	0.64	85	0.62	0.80	109	0.73	0.95
14	0.18	0.24	38	0.36	0.47	62	0.50	0.65	86	0.62	0.81	110	0.73	0.95
15	0.19	0.25	39	0.37	0.48	63	0.51	0.66	87	0.63	0.82	111	0.74	0.96
16	0.20	0.26	40	0.37	0.48	64	0.51	0.66	88	0.63	0.82	112	0.74	0.97
17	0.21	0.27	41	0.38	0.49	65	0.52	0.67	89	0.64	0.83	113	0.75	0.97
18	0.22	0.28	42	0.39	0.50	66	0.52	0.68	90	0.64	0.83	114	0.75	0.98
19	0.23	0.29	43	0.39	0.51	67	0.53	0.69	91	0.65	0.84	115	0.76	0.98
20	0.23	0.30	44	0.40	0.52	68	0.53	0.69	92	0.65	0.85	116	0.76	0.99
21	0.24	0.31	45	0.40	0.52	69	0.54	0.70	93	0.66	0.85	117	0.77	1.00
22	0.25	0.32	46	0.41	0.53	70	0.54	0.71	94	0.66	0.86	118	0.77	1.00
23	0.26	0.33	47	0.42	0.54	71	0.55	0.71	95	0.67	0.87	119	0.77	1.01
24	0.26	0.34	48	0.42	0.55	72	0.55	0.72	96	0.67	0.87	120	0.78	1.01

³³ **Note:** This Table follows the same format as Table 5, Appendix 3 of the Model Code of Practice for the Welfare of Animals – Pigs but is calculated using the formula sq. m per pig = live weight to the power of 0.67x 0.0315 which gives a larger space requirement for CS 6 compliance than specified in the Model Code of Practice for the Welfare of Animals – Pigs and adds 30 percent in column DL (Deep Litter) used to evaluate compliance with Performance Indicator CS 6.1 C.



Notes:



Notes:



Notes:



APIQ Management

Level 2, 2 Brisbane Avenue, Barton ACT 2600
PO Box 4746, Kingston ACT 2604

Toll free 1800 789 099

Facsimile 02 6285 2288

Email apiq@australianpork.com.au

Website www.apiq.com.au